



# Garden State Laboratories, Inc.

## Report of Analysis

410 Hillside Ave.  
Hillside, NJ 07205

Main Lab  
NJDEP Lab Cert. #20044

Jersey Shore Lab  
NJDEP Lab Cert. #15037

Lakehurst Lab  
NJDEP Lab Cert. #15041

Mathew Klein, M.S., Founder (1916-1996)  
Harvey Klein, M.S., Laboratory Director  
Jordan B. Klein, B.A., Exec. Vice President  
Sharon Ercoliani, B.A. Laboratory Manager

Telephone: 800-273-8901  
Email: info@gsllabs.com  
Internet: www.gsllabs.com

For: Early Childhood Center of the Ironbound  
697 Market Street  
  
Newark, NJ 07105

Laboratory Director:

Attention: Monica Vines

Client Number: EAR04

Report Date: 09/10/2024

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str.  
Newark NJ / Field Blank  
Lab Sample ID: 240826061-01

Site: Collection Date/Time: 08/22/2024 07:05

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	< 0.0100 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:22	
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/29/24 15:26	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str.  
Newark NJ /102 Bathroom  
Lab Sample ID: 240826061-02

Site: Collection Date/Time: 08/22/2024 06:49

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.138 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:33	
Lead, Total Recoverable	EPA 200.8		1	0.00284 mg/l	0.015	0.00100	0.00032	20044	08/29/24 15:40	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str.  
Newark NJ / 103 Bathroom  
Lab Sample ID: 240826061-03

Site: Collection Date/Time: 08/22/2024 06:47

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.151 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:37	
Lead, Total Recoverable	EPA 200.8		1	0.00130 mg/l	0.015	0.00100	0.00032	20044	08/29/24 15:45	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str.  
Newark NJ/104 Bathroom  
Lab Sample ID: 240826061-04

Site: Collection Date/Time: 08/22/2024 07:00

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.179 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:41	



Garden State Laboratories, Inc.

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str. Newark NJ/104 Bathroom Lab Sample ID: 240826061-04

Site: Collection Date/Time: 08/22/2024 07:00

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	0.00334 mg/l	0.015	0.00100	0.00032	20044	08/29/24 15:50	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str. Newark NJ /106 Bathroom Lab Sample ID: 240826061-05

Site: Collection Date/Time: 08/22/2024 06:45

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		10	10.4 mg/l	1.3	0.100	0.048	20044	09/04/24 11:02	
Lead, Total Recoverable	EPA 200.8		2	0.0536 mg/l	0.015	0.00200	0.00064	20044	09/06/24 10:20	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str. Newark NJ /109 Bathroom Lab Sample ID: 240826061-06

Site: Collection Date/Time: 08/22/2024 06:59

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.122 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:44	
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/29/24 16:10	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str. Newark NJ /111 Bathroom Lab Sample ID: 240826061-07

Site: Collection Date/Time: 08/22/2024 06:53

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.204 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:48	
Lead, Total Recoverable	EPA 200.8		2	0.0437 mg/l	0.015	0.00200	0.00064	20044	08/30/24 18:00	

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str. Newark NJ / Adult Bathroom #1 Lab Sample ID: 240826061-08

Site: Collection Date/Time: 08/22/2024 06:55

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.0818 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:52	
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/29/24 16:20	



Garden State Laboratories, Inc.

Sample ID: Early Childhood Center Of The Ironbound, 697 Market Str. Newark NJ / Adult Bathroom #2      Lab Sample ID: 240826061-09

Site:      Collection Date/Time: 08/22/2024 06:57

Matrix: Potable water      Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.0820 mg/l	1.3	0.0100	0.0048	20044	08/28/24 11:56	
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/29/24 16:29	

*DF=Dilution factor; <=less than, MCL=Maximum Contaminant Level, Rep. Limit=Reporting Limit, MDL=Method Detection Limit, SM YR=Standard Methods Publication Year, and NC=Not Certified.*  
*The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.*  
*Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.*

# Garden State Laboratories, Inc.

**Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044**  
**Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037**

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

### Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

8-26-24 22.4c 12:04

Page 1 of 2

**GSL CLIENT # EAR04**

MICRO #

CHEM. # **240826061-01-05**

SAMPLE REC'D BY: **MAIL**

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

### CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Early Childhood Center of the Ironbound Contact/Authorized by: Monica Vines

Mailing Address: 697 Market Street Phone: 973-589-8695

City/State/Zip: Newark, NJ 07105 Email: mvines@ieponline.com

### SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATI: Early Childhood Center of the Ironbound, 697 Market St., Newark, NJ

Grab/Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
		Date	Time	AM	PM	<input type="checkbox"/> List attached Total Pages	No.	Type*	Size	Pres.*	
X	Field Blank	8/22/24	705	✓		Lead & Copper (First Draw) 61-01	1	P	250ml	A	
X	102 Bathroom	8/22/24	649	✓		Lead & Copper (First Draw) 61-02	1	P	250ml	A	
X	103 Bathroom	8/22/24	647	✓		Lead & Copper (First Draw) 61-03	1	P	250ml	A	
X	104 Bathroom	8/23/24	700	✓		Lead & Copper (First Draw) 61-04	1	P	250ml	A	
X	106 Bathroom	8/23/24	645	✓		Lead & Copper (First Draw) 61-05	1	P	250ml	A	

⇒ Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify:  
 ⇒ Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid  
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Ithiosulfate H = Ascorbic Acid I = Cooled Other/Specify:

SUBCONTRACTED WORK

TURNAROUND TIME:  Standard  Rush (if RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORM:  Standard Report  Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

### PAYMENT INFORMATION

Sampling/Pick-up Fee: \$  Composite Fee: \$  Rush Fee: \$ Amount Due: \$ 900

Payment Method:  Credit Card Type:  Check #  Other:

Note: **LEAD & COPPER SAMPLING FOR CHILD CARE FACILITY ON PUBLIC WATER SYSTEM**

**SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION  
 PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME**

Sampled by (PRINT): **Archie Swan** Signature: *[Signature]*  
 Client/Client's Representative (PRINT): **Monica Vines** Signature: *[Signature]* Date/Time: **8/23/24 9:00**  
 1. Received/Relinquished by (PRINT): Signature: Date/Time:  
 2. Received/Relinquished by (PRINT): **F. HARRIS** Signature: *[Signature]* Date/Time: **8-26-24 12:04**

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN  
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

# Garden State Laboratories, Inc.

**Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044**  
**Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037**

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

### Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

8-26-24 22 °C 12:04

Page 2 of 2

**GSL CLIENT # EAR04**

MICRO #

CHEM. # **240826061-06-09**

SAMPLE REC'D BY: **MAIL**

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

### CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Early Childhood Center of the Ironbound Contact/Authorized by: Monica Vines

Mailing Address: 697 Market Street Phone: 973-589-8695

City/State/Zip: Newark, NJ 07105 Email: mvines@ieponline.com

### SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATI: Early Childhood Center of the Ironbound, 697 Market St., Newark, NJ

Grab/Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
		Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X	109 Bathroom	8/22/24	6:59	✓		Lead & Copper (First Draw) 61-06	1	P	250ml	A	
X	111 Bathroom	8/22/24	6:58	✓		Lead & Copper (First Draw) 61-07	1	P	250ml	A	
X	Adult Bathroom #1	8/22/24	6:55	✓		Lead & Copper (First Draw) 61-08	1	P	250ml	A	
X	Adult Bathroom #2	8/22/24	6:57	✓		Lead & Copper (First Draw) 61-09	1	P	250ml	A	

⇒ Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: \_\_\_\_\_  
 ⇒ Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid  
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Ithiosulfate H = Ascorbic Acid I = Cooled Other/Specify: \_\_\_\_\_

SUBCONTRACTED WORK

TURNAROUND TIME:  Standard  Rush (if RUSH REQUESTED) Rush Due by: \_\_\_\_\_

SEND TO:

REPORT FORM:  Standard Report  Other/Specify: \_\_\_\_\_

DATE/TIME:

Standard Report + E2 PWSID#: \_\_\_\_\_

METHOD OF SHIPMENT:

### PAYMENT INFORMATION

Sampling/Pick-up Fee: \$  Composite Fee: \$  Rush Fee: \$ Amount Due: \$ Cp1

Payment Method:  Credit Card Type:  Check #  Other: \_\_\_\_\_

Note: **LEAD & COPPER SAMPLING FOR CHILD CARE FACILITY ON PUBLIC WATER SYSTEM**

**SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION  
 PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME**

Sampled by (PRINT): <b>Arcylic Swan</b>	Signature:	
Client/Client's Representative (PRINT): <b>Monica Vines</b>	Signature:	Date/Time: <b>8/23/24 9:00am</b>
1. Received/Relinquished by (PRINT):	Signature: _____	Date/Time: _____
2. Received/Relinquished by (PRINT): <b>F. HARRIS</b>	Signature:	Date/Time: <b>8-26-24 12:04</b>

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN  
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED